# AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A compound of the formula:

$$R^{4}$$
 $R^{5}$ 
 $R^{6}$ 
 $R^{6}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{7}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{7$ 

#### wherein

ring A represents a benzene ring optionally having substituents;

B represents a  $C_{1.6}$  alkylene optionally having substituents; Y and Ya are the same or different and each represents a bond or a spacer having a main chain of 1 to 6 atoms;  $R^1$  and  $R^2$  are the same or different and each represents a hydrogen atom, a hydrocarbon group optionally having substituents or a heterocyclic group optionally having substituents;

R<sup>3</sup> represents a hydrogen atom, a hydrocarbon group optionally having substituents or a heterocyclic group optionally having substituents;

 $R^4$  and  $R^5$  are the same or different and each represents a hydrogen atom or a hydrocarbon group optionally having substituents, or  $R^4$  and  $R^5$ , together with the adjacent carbon atom, form a ring optionally having substituents;

R<sup>6</sup> represents an indolyl group optionally having substituents; and

Z represents piperidinyl optionally having substituents or piperazinyl optionally having substituents; and

Za represents a hydrogen atom, a halogen atom or a cyclic group optionally having substituents: or a salt thereof.

- 2. (Canceled)
- 3. (Original) The compound according to claim 1, wherein  $\mathbb{R}^3$  is a hydrogen atom or a  $C_{1-6}$  alkyl optionally having substituents.
- 4. (Original) The compound according to claim 1, wherein one of  $\mathbb{R}^4$  and  $\mathbb{R}^5$  is a hydrogen atom, and the other is a  $C_{1-6}$  alkyl optionally having substituents.
  - 5-6. (Canceled)
- 7. (Previously Presented) The compound according to claim 1, wherein Z is piperidinyl or piperazinyl, each of which is substituted by a group of the formula: -Yd-Ara wherein Yd represents a bond or a spacer having a main chain of 1 to 6 atoms, and Ara represents a monocyclic group optionally having substituents.
- (Original) The compound according to claim 1, wherein Ya is a bond, and Za is a hydrogen atom.
  - 9. (Original) The compound according to claim 1, wherein B is a  $C_{1-6}$  alkylene.
  - 10. (Canceled)

- 11. (Original) The compound according to claim 1, wherein  $R^1$  and  $R^2$  are  $C_{1-\delta}$  alkyl.
  - 12. (Original) The compound according to claim 1, wherein Y is -CO-.
  - 13. (Original) The compound according to claim 1, which is

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-

 $\label{lem:condition} ((methylamino)carbonyl) phenyl) amino) carbonyl) -2 - (1H-indol-3-yl) propyl) -4 - (2-methylphenyl) -1 - piperidine carboxamide;$ 

N-((1R,2S)-1-(((2-((dimethylamino)carbonyl)-5-((dimethylamino)methyl)phenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(4-fluorophenyl)-1-piperidinecarboxamide;

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-methoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(4-fluoro-2-methylphenyl)-3-oxo-1-piperazinecarboxamide;

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-methoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(2-methylphenyl)-1-piperazinecarboxamide;

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-ethoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(4-fluorophenyl)-1-piperazinecarboxamide; or

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-ethoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-phenyl-1-piperidinecarboxamide.

- 14. (Previously Presented) A pharmaceutical preparation comprising the compound according to claim 1 or a salt thereof.
- 15. (Original) The pharmaceutical preparation according to claim 14, which is a somatostatin receptor binding inhibitor.

- 16. (Original) The pharmaceutical preparation according to claim 15, which is a somatostatin subtype 2 receptor binding inhibitor.
- (Original) The pharmaceutical preparation according to claim 14, which is a somatostatin receptor agonist.
- 18. (Original) The pharmaceutical preparation according to claim 17, which is a somatostatin subtype 2 receptor agonist.
- 19. (Original) The pharmaceutical preparation according to claim 14, which is a prophylactic or therapeutic agent for diabetes or diabetic complications.
- 20. (Original) The pharmaceutical preparation according to claim 14, which is a prophylactic or therapeutic agent for obesity.
  - 21. (Canceled)
- 22. (Currently Amended) A method for inhibiting somatostatin receptor binding in a mammal, which comprises administering to the mammal an effective amount of the compound according to claim 1 or a salt thereof.
  - 23. (Canceled)
- 24. (Previously Presented) A method for preventing or treating diabetes or diabetic complications in a mammal, which comprises administering to the mammal an effective amount of the compound according to claim 1 or a salt thereof.
  - 25. (Canceled)
- 26. (Previously Presented) A method for preventing or treating obesity in a mammal, which comprises administering to the mammal an effective amount of the compound according to claim 1 or a salt thereof.

27. (Currently Amended) A method for producing a compound of claim 1 or a salt thereof, which comprises reacting a compound of the formula:

## wherein


Y represents a bond or a spacer having a main chain of 1 to 6 atoms;

R<sup>4</sup> and R<sup>5</sup> are the same or different, and each represents a hydrogen atom or a hydrocarbon group optionally having substituents, or R<sup>4</sup> and R<sup>5</sup>, together with the adjacent carbon atom, form a ring optionally having substituents;

R<sup>6</sup> represents an indolyl group optionally having substituents;

Z represents piperidinyl optionally having substituents or piperazinyl optionally having substituents or a salt thereof, with a compound of the formula:

$$\begin{array}{c|c} R^3 & A & B-N \\ \hline N & H & R^2 \\ \end{array}$$



### wherein

ring A represents a benzene ring optionally having substituents;

B represents a C<sub>1-6</sub> alkylene optionally having substituents;

 $R^1$  and  $R^2$  are the same or different, and each represents a hydrogen atom, a hydrocarbon group optionally having substituents or a heterocyclic group optionally having substituents;

R<sup>3</sup> represents a hydrogen atom, a hydrocarbon group optionally having substituents or a heterocyclic group optionally having substituents; or a salt thereof to give a compound of the formula:

## wherein

each symbol is as defined above; or a salt thereof, and optionally reacting the compound or a salt thereof with a compound of the formula: L<sup>4</sup>-Ya-Za wherein L<sup>4</sup> represents a leaving group; Ya represents a bond or a spacer having a main chain of 1

-7-

to 6 atoms; Za represents a hydrogen atom, a halogen atom or a cyclic group optionally having substituents; or a salt thereof.

28. (Canceled)